

MOTEURS TRIPHASÉS HORS NORMES



B14



B5

Dimensions et caractéristiques
pages suivantes

KMT - 1500 t/mn
Arbre 11 mm - Bride B14

Type Bride	H.a.	KW	CODE	P.u. HT
50-65-80 (56)	63	0.18	100 005	170,54
		0.26	100 048	189,71
60-75-90 (63)	71	0.37	100 080	201,25
70-85-105 (71)	71	0.50	100 110	229,85
		0.37	100 072	198,10
		0.50	100 102	226,68

Arbre 11 mm - Bride B5

Type Bride	H.a.	KW	CODE	P.u. HT
95-115-140 (63)	71	0.37	100 099	200,79
		0.50	100 129	229,42

Arbre 14 mm - Bride B14

Type Bride	H.a.	KW	CODE	P.u. HT
60-75-90 (63)	71	0.26	100 145	183,25
		0.37	100 196	184,85
		0.50	100 242	219,90
70-85-105 (71)	80	0.75	100 293	267,70
		1.10	100 344	321,10
80-100-120 (80)	80	0.75	100 285	266,55
		1.10	100 331	319,90
95-115-140 (90)	71	0.26	100 161	185,60
		0.37	100 218	187,25
		0.50	100 269	219,93
	80	0.75	100 307	275,65
		1.10	100 358	329,05

Arbre 14 mm - Bride B5

Type Bride	H.a.	KW	CODE	P.u. HT
95-115-140 (63)	71	0.26	100 174	182,85
		0.37	100 226	184,46
		0.50	100 277	219,53
110-130-160 (71)	80	0.75	100 323	270,94
		1.10	100 374	324,40

Arbre 19 mm - Bride B14

Type Bride	H.a.	KW	CODE	P.u. HT
70-85-105 (71)	80	0.56	100 390	231,40
		0.75	100 439	283,70
		1.10	100 471	281,65
80-100-120 (80)	90	1.50	100 528	351,72
		1.87	100 560	364,71
95-115-140 (90)	80	0.56	100 404	239,30
		0.75	100 447	291,60
		1.10	100 484	289,62
	90	1.50	100 514	347,11
		1.87	100 552	360,00
		1.10	100 412	233,80
110-130-160 (100)	80	0.75	100 455	286,10
		1.10	100 498	284,05
		1.50	100 535	354,70
	90	1.87	100 579	367,78

Arbre 19 mm - Bride B5

Type Bride	H.a.	KW	CODE	P.u. HT
110-130-160 (71)	80	0.56	100 420	234,75
		0.75	100 463	287,00
		1.10	100 501	284,90
	90	1.50	100 544	353,70
		1.87	100 587	366,73

Arbre 24 mm - Bride B14

Type Bride	H.a.	KW	CODE	P.u. HT
80-100-120 (80)	90	1.10	100 609	303,25
		1.50	100 641	336,60
		1.87	100 684	349,02
95-115-140 (90)	100	2.20	100 730	496,91
		3.00	100 773	494,15
110-130-160 (100)	90	1.10	100 625	306,24
		1.50	100 668	339,71
		1.87	100 706	352,13
	100	2.20	100 749	490,59
		3.00	100 781	487,83


Arbre 24 mm - Bride B5

Type Bride	H.a.	KW	CODE	P.u. HT
110-130-160 (71)	90	1.10	100 633	305,35
		1.50	100 676	338,60
		1.87	100 714	351,00
	100	2.20	100 757	495,90
		3.00	100 794	493,25

MOTEURS TRIPHASÉS HORS NORMES



B14



B5

Dimensions et caractéristiques
page ci-contre

1000 t/mn
Arbre 11 mm - Bride B14

Type Bride	H.a.	KW	CODE	P.u. HT
50-65-80 (56)	63	0.09	106 275	193,20
		0.12	106 283	202,40
60-75-90 (63)	71	0.18	106 291	243,80
		0.26	106 313	255,30
70-85-105 (71)	71	0.18	106 305	240,35
		0.26	106 321	251,85

Arbre 14 mm - Bride B14

Type Bride	H.a.	KW	CODE	P.u. HT
60-75-90 (63)	71	0.18	106 348	235,75
		0.26	106 372	243,80
70-85-105 (71)	80	0.37	106 402	287,50
		0.56	106 437	311,65
80-100-120 (80)	71	0.18	106 355	247,25
		0.26	106 380	256,45
	80	0.37	106 410	295,55
		0.56	106 445	310,50
95-115-140 (90)	71	0.18	106 364	238,05
		0.26	106 399	246,10
	80	0.37	106 429	304,75
		0.56	106 453	319,70

Arbre 19 mm - Bride B14

Type Bride	H.a.	KW	CODE	P.u. HT
70-85-105 (71)	80	0.37	106 461	284,05
		0.56	106 496	297,85
80-100-120 (80)	90	0.75	106 526	402,50
		1.10	106 550	437,00
95-115-140 (90)	80	0.37	106 474	292,10
		0.56	106 504	305,90
	90	0.75	106 534	397,90
		1.10	106 569	432,40
110-130-160 (100)	80	0.37	106 488	286,35
		0.56	106 518	300,15
	90	0.75	106 542	405,95
		1.10	106 577	440,45

Arbre 24 mm - Bride B14

Type Bride	H.a.	KW	CODE	P.u. HT
80-100-120 (80)	90	0.75	106 585	385,25
		1.10	106 607	418,60
95-115-140 (90)	100	1.50	106 623	553,15
		1.87	106 631	573,85
110-130-160 (100)	90	0.75	106 593	388,70
		1.10	106 615	420,90

Arbre 11 mm - Bride B5

Type Bride	H.a.	KW	CODE	P.u. HT
95-115-140 (63)	71	0.18	106 674	242,65
		0.26	106 682	254,15

Arbre 14 mm - Bride B5

Type Bride	H.a.	KW	CODE	P.u. HT
95-115-140 (63)	71	0.18	106 690	234,60
		0.26	106 704	243,80
110-130-160 (71)	80	0.37	106 711	300,15
		0.56	106 720	315,10

Arbre 19 mm - Bride B5

Type Bride	H.a.	KW	CODE	P.u. HT
110-130-160 (71)	80	0.37	106 739	287,50
		0.56	106 747	301,30

Arbre 24 mm - Bride B5

Type Bride	H.a.	KW	CODE	P.u. HT
110-130-160 (71)	100	1.50	106 755	553,15
		1.87	106 763	573,85

Voir aussi

P. 53, 60... Manchons



