

### Safety Data Sheet dated 14/5/2020, version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Mixture identification:		
Trade name: All in I multi-use spray		
Trade code: VMD73		
1.2. Relevant identified uses of the substance or mixture and uses advised against Description/Use: Multifunctional unlocking protective lubricating		
Company:		
V.M.D. ITALIA SRL - Cascina Secchi 325/327 - 24040 Isso (BG) - Italy V.M.D. ITALIA SRL - Phone n. +39-036393357		
- Fax n. +39-036393718		
Competent person responsible for the safety data sheet:		
laboratorio@vmditalia.it		
1.4. Emergency telephone number		
V.M.D. ITALIA SRL - Phone n +39-036393357 +39-036393415		
From Monday to Thursday 8,30-12,30 13,30-17,30		
Friday 8,30-12,30 13,30-16,00		
CECTION & Upperde identification		
SECTION 2: Hazards identification 2.1. Classification of the substance or mixture		
EC regulation criteria 1272/2008 (CLP):		
Danger, Aerosols 1, Extremely flammable aerosol. Pressurized container: may burst if		
heated.		
Adverse physicochemical, human health and environmental effects:		
No other hazards		
2.2. Label elements		
Hazard pictograms:		
Danger		
Danger Hazard statements:		
H222+H229 Extremely flammable aerosol. Pressurized container: may burst if heated.		
Precautionary statements:		
P102 Keep out of reach of children.		
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No		
smoking.		
P211 Do not spray on an open flame or other ignition source.		
P251 Do not pierce or burn, even after use.		
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.		
Special Provisions:		

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

VMD8/1 Page n. 1 of 8

None

2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

#### **SECTION 3: Composition/information on ingredients**

- 3.1. Substances
- N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	per	Classification
>= 50% - < 60%	Distillates (petroleum), hydrotreated light;	Index number:	649-422-00-2	😵 3.10/1 Asp. Tox. 1 H304
	Kerosine - unspecified	CAS:	64742-47-8	
		EC:	265-149-8	
		Nr. Reg.:	01-21194848	
			19-18-XXXX	
>= 15% - < 20%	propane	Index number:	601-003-00-5	2.2/1 Flam. Gas 1 H220
1 20 /0		CAS:	74-98-6	🛠 2.5 Press. Gas H280
		EC:	200-827-9	
		Nr. Reg.:	01-21194869	
		Ŭ	44-21-XXXX	
>= 5% - < 7%	butane	Index number:	601-004-00-0	2.2/1 Flam. Gas 1 H220
170		CAS:	106-97-8	🛠 2.5 Press. Gas H280
		EC:	203-448-7	
		Nr. Reg.:	01-21194746	
		Ŭ	91-32-XXXX	
>= 3% - < 5%	and isobutane	Index number:	601-004-00-0	2.2/1 Flam. Gas 1 H220
< 070		CAS:	75-28-5	🔗 2.5 Press. Gas H280
		EC:	200-857-2	
		Nr. Reg.:	01-21194853	
		- 0	95-27-XXXX	

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:

VMD8/1 Page n. 2 of 8

None

#### **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media: CO2 or Dry chemical fire extinguisher. Extinguishing media which must not be used for safety reasons: None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
   Use suitable breathing apparatus .
   Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
  - Remove all sources of ignition.
  - Remove persons to safety.
  - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
  - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.
  - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
  - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water. 6.4. Reference to other sections
  - See also section 8 and 13

#### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

- Incompatible materials:
- None in particular.

Instructions as regards storage premises:

- Cool and adequately ventilated.
- 7.3. Specific end use(s)

VMD8/1

None in particular

**SECTION 8: Exposure controls/personal protection** 8.1. Control parameters Distillates (petroleum), hydrotreated light; Kerosine - unspecified - CAS: 64742-47-8 TLV TWA - mg/m3 200 ,skin A3 TLV STEL - Skin A3 propane - CAS: 74-98-6 ACGIH - Notes: Asphyxia butane - CAS: 106-97-8 ACGIH - STEL: 1000 ppm - Notes: CNS impair and isobutane - CAS: 75-28-5 ACGIH - STEL: 1000 ppm - Notes: CNS impair **DNEL Exposure Limit Values** N.A. **PNEC Exposure Limit Values** N.A. 8.2. Exposure controls Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value
Appearance and colour:	Liquid clear
	light brown
Odour:	Characteristic
Odour threshold:	N.A.
pH:	N.A.
Melting point / freezing	N.A.
point:	
Initial boiling point and	N.A.
boiling range:	
Flash point:	<0 °C
Evaporation rate:	N.A.
Solid/gas flammability:	N.A.
Upper/lower flammability	N.A.
or explosive limits:	
Vapour pressure:	N.A.
Vapour density:	N.A.

Relative density:	0,82 gr/ml
	c.ca
Solubility in water:	Insoluble
Solubility in oil:	Total
Partition coefficient	N.A.
(n-octanol/water):	
Auto-ignition temperature:	N.A.
Decomposition	N.A.
temperature:	
Viscosity:	N.A.
Explosive properties:	N.A.
Oxidizing properties:	N.A.

#### 9.2. Other information

Properties	Value
Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.
Substance Groups	N.A.
relevant properties	

#### **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
  - Stable under normal conditions
- 10.2. Chemical stability Stable under normal conditions
- 10.3. Possibility of hazardous reactions
- It may catch fire on contact with oxidising mineral acids, and powerful oxidising agents.
- 10.4. Conditions to avoid
  - Stable under normal conditions.
- 10.5. Incompatible materials Avoid contact with combustible materials. The product could catch fire.
- 10.6. Hazardous decomposition products None.

#### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

N.A.

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

#### **SECTION 12: Ecological information**

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. N.A.

- 12.2. Persistence and degradability None
  - N.A.
- 12.3. Bioaccumulative potential
  - N.A.
- 12.4. Mobility in soil
- N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

#### **SECTION 14: Transport information**

14.1 UN number:	
ADR-UN number:	1950
IATA-UN number:	1950
14.2 UN proper shipping name:	
ADR-Shipping Name:	Aerosol with capacity of 1000 cm3 0r less
14.3 Transport hazard class(es):	
ADR-Class:	2
ADR-Label:	UN 1950 Aerosols
IATA-Class:	2.1
IMO-Class:	2.1
14.4 Packing Group:	
ADR-Packing Group:	III
14.5 Environmental hazards	
N.A.	
14.6 Special Precautions for User	
N.A.	
	nnex II of MARPOL 73/78 and the IBC Code
No	

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)

VMD8/1 Page n. 6 of 8

Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: Restrictions related to the product: Restriction 3 Restriction 40 Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 Product belongs to category: P3a

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

#### **SECTION 16: Other information**

Text of phrases referred to under heading 3: H304 May be fatal if swallowed and enters airways. H220 Extremely flammable gas. H280 Contains gas under pressure; may explode if heated.

Hazard class and hazard category	Code	Description
Flam. Gas 1	2.2/1	Flammable gas, Category 1
Aerosols 1	2.3/1	Aerosol, Category 1
Press. Gas	2.5	Gases under pressure
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1

This safety data sheet has been completely updated in compliance to Regulation 2015/830. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Aerosols 1, H222+H229	On basis of test data

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

VMD8/1 Page n. 7 of 8

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.